



Heat Range Chart

Tableau des températures de bougies

Tabla de Rango Térmico

Reach/Portée/Alcance Projection/Prolongé/Proyección Hex Size/Hexagonal/Hexágono	R A N G E	F I L E	Heat Range Températures Térmico	Copper/Cuivre/Cobre		Platinum Platine Platino	Double Platinum Double Platine Platino Doble	IridiumXP L'IridiumXP IridioXP	Xtreme Start®	Xtreme Sport®
				Non-Resistor Sans Résistance Sin-Resistencia	Resistor Résistance Resistencia					
10mm X 1.0										
Gasket Seat/Siège du joint/Asiento Plano										
1/4" Reach Short (Courte/Corta) Projection Hex 5/8" (16mm)	1		Hot Chaud Caliente	3136						
			Cold/Froid/Frío							
1/2" Reach Short (Courte/Corta) Projection Hex 5/8" (16mm)	2		Hot Chaud Caliente	4194						
			Cold/Froid/Frío							
3/4" Reach Short (Courte/Corta) Projection Hex 5/8" (16mm)	3		Hot Chaud Caliente							
			Cold/Froid/Frío			4303				XS4303
										4302
12mm X 1.25										
Gasket Seat/Siège du joint/Asiento Plano										
1/2" Reach Short (Courte/Corta) Projection Hex 11/16" (18mm)	4		Hot Chaud Caliente							
			Cold/Froid/Frío	4173						
3/4" Reach Short (Courte/Corta) Projection Hex 11/16" (18mm)	5		Hot Chaud Caliente	4132						
			Cold/Froid/Frío							
3/4" Reach Mid (Milieu/Media) Projection Hex 11/16" (18mm)	6		Hot Chaud Caliente		4164					XS4164
			Cold/Froid/Frío		4163					XS4163
					4162					XS4162
3/4" Reach Mid (Milieu/Media) Projection Hex 5/8" (16mm)	7		Hot Chaud Caliente							
			Cold/Froid/Frío			5663			XP5663	
1" Reach Mid (Milieu/Media) Projection Hex 9/16" (14mm)	8		Hot Chaud Caliente				APP5684	XP5684		
			Cold/Froid/Frío				APP5683	XP5683		
							APP5682	XP5682		
1" Reach Mid (Milieu/Media) Projection Hex 5/8" (16mm)	9		Hot Chaud Caliente				APP6203	XP5703/ XP6203		
			Cold/Froid/Frío					XP5702		
							APP5701	XP5701		
14mm X 1.25										
Gasket Seat/Siège du joint/Asiento Plano										
3/8" Reach Short (Courte/Corta) Projection Hex 3/4" (19mm)	11		Hot Chaud Caliente	258						XST258
			Cold/Froid/Frío	255						XST255
				254						XST254
3/8" Reach Short (Courte/Corta) Projection Hex 13/16" (21mm)	12		Hot Chaud Caliente	458	308/468					XST458
			Cold/Froid/Frío	456/295	306					
				353	303/2243	AP303				
				292						



Heat Range Chart

Tableau des températures de bougies

Tabla de Rango Térmico

Reach/Portée/Alcance Projection/Prolongé/Proyección Hex Size/Hexagonal/Hexágono	R A N G O	F I L A E	Heat Range Températures Térmico	Copper/Cuivre/Cobre		Platinum Platine Platino	Double Platinum Double Platine Platino Doble	IridiumXP L'IridiumXP IridioXP	Xtreme Start®	Xtreme Sport®
				Non-Resistor Sans Résistance Sin-Resistencia	Resistor Résistance Resistencia					
14mm X 1.25 (Continued/suite/continua)										
Gasket Seat/Siège du joint/Asiento Plano (Continued/suite/continua)										
3/8" Reach Mid (Milieu/Media) Projection Hex 3/4" (19mm)	13		Hot Chaud Caliente	2976					XST2976	
				2974				XST2974		
			Cold/Froid/Frío							
3/8" Reach Mid (Milieu/Media) Projection Hex 13/16" (21mm)	14		Hot Chaud Caliente		847	AP847				
					86	AP86				
			Cold/Froid/Frío	75	85/4275	AP85			XS85	
7/16" Reach Short (Courte/Corta) Projection Hex 13/16" (21mm)	15		Hot Chaud Caliente		2327					
				216/4316						
			Cold/Froid/Frío		2325					
7/16" Reach Mid (Milieu/Media) Projection Hex 13/16" (21mm)	16		Hot Chaud Caliente	437						
			Cold/Froid/Frío							
1/2" Reach Surface (Superficial) Gap Hex 13/16" (21mm)	17		Hot Chaud Caliente							
				2852/2872/ 2892						
			Cold/Froid/Frío							
1/2" Reach Short (Courte/Corta) Projection Hex 13/16" (21mm)	18		Hot Chaud Caliente	275/2656	425	AP425				
				2344						
				414						
				4093					XS4093	
					422					
					421					
			Cold/Froid/Frío	4092					XS4092	
1/2" Reach Mid (Milieu/Media) Projection Hex 13/16" (21mm)	19		Hot Chaud Caliente		2407					
				4114						
			Cold/Froid/Frío		4123					
3/4" Reach Short (Courte/Corta) Projection Hex 5/8" (16mm)	20		Hot Chaud Caliente		3949					
			Cold/Froid/Frío							
3/4" Reach Short (Courte/Corta) Projection Hex 13/16" (21mm)	21		Hot Chaud Caliente	398						
				399						
					405					
				4056	404/2304	AP404				
				4055	403				XST4055	
				4054					XS4064	
					4063				XS4063	
Cold/Froid/Frío		4062				XS4062				
		4051	4061							



Heat Range Chart

Tableau des températures de bougies

Tabla de Rango Térmico

Reach/Portée/Alcance Projection/Prolongé/Proyección Hex Size/Hexagonal/Hexágono	R R O W E F I L E A	Heat Range Températures Térmico	Copper/Cuivre/Cobre		Platinum Platine Platino	Double Platinum Double Platine Platino Doble	IridiumXP L'IridiumXP IridioXP	Xtreme Start®	Xtreme Sport®
			Non-Resistor Sans Résistance Sin-Resistencia	Resistor Résistance Resistencia					
14mm X 1.25 (Continued/suite/continua)									
Gasket Seat/Siège du joint/Asiento Plano (Continued/suite/continua)									
3/4" Reach Mid (Milieu/Media) Projection Hex 5/8" (16mm)	22	Hot Chaud Caliente		3926		APP3926		XST3926	XP3926
				3924/5184	AP3924/ AP5184	APP3924	XP3924	XST3924	XS3924
				3923/5503	AP3923/ AP5503	APP3923/ APP5503	XP3923/ XP5503		XS3923
		Cold/Froid/Frío		3922	AP3922	APP3922	XP3922		XS3922
3/4" Reach Mid (Milieu/Media) Projection Hex 13/16" (21mm)	23	Hot Chaud Caliente		66/646	AP66/ AP646	APP66/ APP646	XP646		
				65/4265	AP65	APP65		XST4265	XS65
				2744	AP2744				
				64	AP64	APP64	XP64		
				63/4263	AP63	APP63	XP63		XS63
		Cold/Froid/Frío		4252	4262				XS62
		4251	4261				XS61		
3/4" Reach Long (Longue/Larga) Projection Hex 5/8" (16mm)	24	Hot Chaud Caliente							
		Cold/Froid/Frío		5224	AP5224	APP5224	XP5224		XS5224
3/4" Reach XL Projection Hex 5/8" (16mm)	25	Hot Chaud Caliente		985	AP985	APP985	XP985		XS985
		Cold/Froid/Frío			AP5405	APP5405	XP5405		
3/4" Reach XL Projection Hex 13/16" (21mm)	26	Hot Chaud Caliente		4345					
		Cold/Froid/Frío							
1" Reach Mid (Milieu/Media) Projection Hex 5/8" (16mm)	27	Hot Chaud Caliente		5325	AP5325	APP5325	XP5325		
		Cold/Froid/Frío		5324	AP5324	APP5324	XP5324		
1" Reach Long (Longue/Larga) Projection Hex 5/8" (16mm)	28	Hot Chaud Caliente		6003			XP6003		
		Cold/Froid/Frío							
Tapered Seat/Siège conique/Asiento Cónico									
.332" Reach Short (Courte/Corta) Projection Hex 5/8" (16mm)	29	Hot Chaud Caliente		2956				XST2956	
		Cold/Froid/Frío						XST2954	
.460" Reach Short (Courte/Corta) Projection Hex 5/8" (16mm)	30	Hot Chaud Caliente		147					
		Cold/Froid/Frío		145/685	AP145	APP145			
.460" Reach Mid (Milieu/Media) Projection Hex 5/8" (16mm)	31	Hot Chaud Caliente		26	AP26/ AP666	APP26	XP26/ XP666		
				25	AP25	APP25	XP25		
				2554	24	AP24	APP24	XP24	XST2554
		Cold/Froid/Frío		23	AP23	APP23			



Heat Range Chart Tableau des températures de bougies Tabla de Rango Térmico

Reach/Portée/Alcance Projection/Prolongé/Proyección Hex Size/Hexagonal/Hexágono	R R W F I L E A E	Heat Range Températures Térmico	Copper/Cuivre/Cobre		Platinum Platine Platino	Double Platinum Double Platine Platino Doble	IridiumXP L'IridiumXP IridioXP	Xtreme Start®	Xtreme Sport®
			Non-Resistor Sans Résistance Sin-Resistencia	Resistor Résistance Resistencia					
14mm X 1.25 (Continued/suite/continua)									
Tapered Seat/Siège conique/Asiento Cónico (Continued/suite/continua)									
.708" Reach Mid (Milieu/Media) Projection Hex 5/8" (16mm)	32	Hot Chaud Caliente		106/606	AP106/ AP606	APP106/ APP606	XP106/ XP606		
				105/605	AP105/ AP605	APP105/ APP605	XP105/ XP605		
				104	AP104	APP104	XP104		
		Cold/Froid/Frío		103	AP103	APP103	XP103		
.708" Reach, 1/2 Thread (Filetage/Rosca) Mid (Milieu/Media) Projection Hex 5/8" (16mm)	33	Hot Chaud Caliente		766					
				765		APP765			
		Cold/Froid/Frío		764					
.708" Reach Long (Longue/Larga) Projection Hex 5/8" (16mm)	34	Hot Chaud Caliente		5245	AP5245	APP5245	XP5245		
		Cold/Froid/Frío		5243	AP5243	APP5243	XP5243		
.708" Reach XL Projection Hex 5/8" (16mm)	35	Hot Chaud Caliente		5145	AP5145	APP5145	XP5145		
		Cold/Froid/Frío		5144	AP5144	APP5144	XP5144		
.708" Reach, 1/2 Thread (Filetage/Rosca) XL Projection Hex 5/8" (16mm)	36	Hot Chaud Caliente		2546	AP2546	APP2546			
				2545	AP2545	APP2545			
		Cold/Froid/Frío		2544	AP2544	APP2544			
1" Reach Mid (Milieu/Media) Projection Hex 5/8" (16mm)	37	Hot Chaud Caliente			AP5263/ AP5364	APP5263/ APP5364	XP5263/ XP5364		
						APP5363/ APP5863	XP5363/ XP5863		
		Cold/Froid/Frío					XP5362		
1" Reach Long (Longue/Larga) Projection Hex 5/8" (16mm)	38	Hot Chaud Caliente							
		Cold/Froid/Frío				APP6043	XP6043/ XP6083		
1" Reach XL Projection Hex 5/8" (16mm)	39	Hot Chaud Caliente			AP5426	APP5426	XP5426		
		Cold/Froid/Frío							
16mm X 1.50 High Thread/Haute filetage/Cuerda Alta									
Tapered Seat/Siège conique/Asiento Cónico									
1" Reach XL Special (Spéciale/Funcionamiento) Projection Hex 9/16" (14mm)	40	Hot Chaud Caliente			HT2				
					HT15				
					HT1				
		Cold/Froid/Frío			HT0				



Heat Range Chart

Tableau des températures de bougies

Tabla de Rango Térmico

Reach/Portée/Alcance Projection/Prolongé/Proyección Hex Size/Hexagonal/Hexágono	R A N G E F I L A R O W	Heat Range Températures Térmico	Copper/Cuivre/Cobre		Platinum Platine Platino	Double Platinum Double Platine Platino Doble	IridiumXP L'IridiumXP IridioXP	Xtreme Start®	Xtreme Sport®
			Non-Resistor Sans Résistance Sin-Resistencia	Resistor Résistance Resistencia					
18mm X 1.50									
Gasket Seat/Siège du joint/Asiento Plano									
1/2" Reach Short (Courte/Corta) Projection Hex 1" (26mm)	41	Hot Chaud Caliente	2695						
		Cold/Froid/Frío							
1/2" Reach Short (Courte/Corta) Projection Hex 7/8" (22mm)	42	Hot Chaud Caliente		388/2227					
		Cold/Froid/Frío	373						
1/2" Reach Mid (Milieu/Media) Projection Hex 7/8" (22mm)	43	Hot Chaud Caliente	3116						
		Cold/Froid/Frío							
Tapered Seat/Siège conique/Asiento Cónico									
.468" Reach Short (Courte/Corta) Projection Hex 13/16" (21mm)	44	Hot Chaud Caliente		124	AP124				
		Cold/Froid/Frío							
.468" Reach Mid (Milieu/Media) Projection Hex 13/16" (21mm)	45	Hot Chaud Caliente		46	AP46	APP46			
		Cold/Froid/Frío		45	AP45	APP45			
.468" Reach XL Projection Hex 13/16" (21mm)	46	Hot Chaud Caliente		5125	AP5125	APP5125			
		Cold/Froid/Frío							
.968" Reach Short (Courte/Corta) Projection Hex 13/16" (21mm)	47	Hot Chaud Caliente		824					
		Cold/Froid/Frío							
1/2" - 14 NPTF									
Tapered Seat/Siège conique/Asiento Cónico									
1" Reach Short (Courte/Corta) Projection Hex 7/8" (22mm)	48	Hot Chaud Caliente	3095						
		Cold/Froid/Frío							
7/8" - 18									
Gasket Seat/Siège du joint/Asiento Plano									
5/8" Reach Short (Courte/Corta) Projection Hex 15/16" (24mm)	49	Hot Chaud Caliente	3076						
		Cold/Froid/Frío							